

GENETICS AND MOLECULAR INSIGHT INTO INFLAMMATORY MYOFIBROBLASTIC TUMOUR OF ORAL CAVITY – A CASE REPORT AND REVIEW OF LITERATURE

Shanmuha Priya¹, Shakil Moidin², Vishnudas Prabhu³, Riaz Abdulla⁴, Soniya Adyanthaya⁵

¹Former Postgraduate, Department of Oral Pathology and Microbiology, Yenepoya Dental College, Yenepoya Deemed To Be University, Derlakkate, Mangalore, Karnataka, India.

²Reader, Department of Oral Pathology and Microbiology, Yenepoya Dental College, Yenepoya Deemed To Be University, Derlakkate, Mangalore, Karnataka, India.

³Professor, Department of Oral Pathology and Microbiology, Yenepoya Dental College, Yenepoya Deemed To Be University, Derlakkate, Mangalore, Karnataka, India.

⁴Professor, Department of Oral Pathology and Microbiology, Yenepoya Dental College, Yenepoya Deemed To Be University, Derlakkate, Mangalore, Karnataka, India.

⁵Additional Professor, Department of Oral Pathology and Microbiology, Yenepoya Dental College, Yenepoya Deemed To Be University, Derlakkate, Mangalore, Karnataka, India.

ABSTRACT

Introduction: Inflammatory myofibroblastic tumour (IMT) is a rare benign mesenchymal neoplasm composed of myofibroblastic spindle cells and inflammatory infiltrate. First described in the lung by Brunn in 1939, it is uncommon in the oral cavity, with only 58 reported cases to date. IMT frequently affects children and young adults and may mimic malignancies clinically and radiographically due to its potential for vascular invasion, aggressive progression, and local recurrence. While its etiology remains unclear, factors such as trauma, Epstein-Barr virus, and ALK gene rearrangements have been implicated. ALK positivity, detected via immunohistochemistry or FISH, is a distinguishing feature in up to 60% of cases.

Case Presentation: A 9-year-old female presenting with a 6-month history of progressively enlarging swelling in the right buccal mucosa following facial trauma. Clinical and radiological evaluations suggested a neoplastic etiology, and excisional biopsy revealed myofibroblastic spindle cell proliferation with inflammatory infiltrate, confirming IMT.

Management and Prognosis: The tumour was surgically excised. The patient is under regular follow up.

Conclusion: IMT's pose a diagnostic challenge because of histopathological overlap with other fibroblastic and myofibroblastic lesions. High recurrence rate necessitates long-term follow-up.

KEYWORDS: ALK positivity, Epstein Barr virus, FISH, Immunohistochemistry, Inflammatory myofibroblastic tumour.

INTRODUCTION

Inflammatory myofibroblastic tumour (IMT) is a rare benign mesenchymal neoplasm characterized by a myofibroblastic spindle cells interspersed with an inflammatory infiltrate. Brunn in 1939 was the first to observe inflammatory myofibroblastic tumour in the lung. Liston et al in 1981 was the first to report a case of inflammatory myofibroblastic tumour in the oral cavity¹. Various nomenclature such as inflammatory pseudotumour, plasma cell pseudotumour, inflammatory myofibrohistiocytic proliferatio, inflammatory fibrosarcoma, plasma cell granuloma and pseudosarcomatous lesion are all synonyms that have been used to describe inflammatory myofibroblastic tumour because of varying histologic appearance. The most common and recently used term now is the inflammatory myofibroblastic tumour². WHO defined inflammatory myofibroblastic tumour as a distinctive neoplasm composed of fibroblastic and myofibroblastic spindle cells accompanied by inflammatory infiltrate of lymphocytes, plasma cells and eosinophils. Lung is the commonest site being affected followed by gastro intestinal system. Occurrence in the head and neck region is rare with a incidence of 15%. In the maxillofacial region larynx is the most common site affected³. Its presence in oral cavity is exceedingly uncommon with only 58 cases reported to date. Although various pathogenesis have been suggested the etiology of IMT still remains unclear. Trauma, exposure to radiotherapy, association with Epstein Barr virus, ALK gene have been identified as possible causes⁴. Its incidence is rare and affects children and young adults more frequently with a prevalence ranging from 0.04% to 0.7% worldwide, irrespective of gender and race.

IMT may mimic a malignant neoplasm both clinically and radiographically. It has a potential for vascular invasion, aggressive progression and local recurrence⁵. Due to its unclear clinical presentation IMT needs to be differentiated from other granulomatous, infectious, autoimmune and malignant lesion on the basis of histopathologic examination and immunohistochemical analysis. Although IMT is uncommon in the maxillofacial

region, precise diagnosis is crucial to differentiate it from more severe differential diagnoses and to ensure proper treatment.

This case report presents a case of IMT in a 9 year old female child.

CASE PRESENTATION

A 9 year old female patient reported to the outpatient department with the presence of swelling in the right buccal mucosa. There was no relevant past medical and dental history. There was a history of fall 6 months back with sustained injury to the right side of the face. The lesion was of six months duration and was progressively enlarging. Extraoral examination revealed a well defined swelling with facial asymmetry (Fig 1). Intraoral examination revealed well circumscribed, pedunculated nodule of size 2.5×1.5 cm in diameter approximately. The colour of the lesion was as same as the surrounding normal mucosa. Ultrasonography revealed well defined heteroechoic solid in the subcutaneous and intramuscular plane in the right buccal mucosal region measuring around 2.5×1.5 cm showed internal vascularity on colour Doppler suggestive of neoplastic etiology (Fig 2). Fine needle aspiration cytology showed blood mixed aspirate macroscopically, scanty cellular and fragments of fibroconnective tissue with RBC's in the background microscopically. The differential diagnosis was made as minor salivary gland pathology. An excisional biopsy was done and the specimen was sent for histopathological examination. Gross examination revealed that the specimen was firm in consistency, greyish white in colour, measured around 4×4 cm in diameter approximately (Fig 3). Microscopic examination showed a mixture of irregularly arranged fascicles of spindle cells and inflammatory cells. The spindle cells appear bland to mildly atypical. The connective tissue stroma showed diffuse and focal infiltration of neutrophils, lymphocytes, plasma cells and histiocytes (Fig 4 & 5). The background stroma showed myxoid foci. The final diagnosis was given as inflammatory myofibroblastic tumour. The tumour was surgically resected. No recurrence was observed after 1 year follow up.

DISCUSSION

Myofibroblasts are ubiquitous cells showing ultrastructural features of both fibroblasts and muscle cells. IMT is a rare controversial entity the etiology of which still remains enigmatic. WHO describes IMT as a distinctive neoplasm composed of myofibroblastic cells admixed with inflammatory infiltrate. Several risk factors have been identified including minor trauma, smoking, IgG4 related disease⁶. Some hypotheses propose that an abnormal immune response to antigens or viruses such as Human Herpes Virus 8 and Epstein Barr Virus, may play a role. In view of the absence of the immunohistochemical profile and variable phenotype, the diagnosis of IMT has traditionally been a diagnosis of exclusion, with a wide differential diagnosis that includes conditions ranging from local inflammatory process to inflammatory fibrosarcoma. It has been well established that in up to 60% of IMT ALK rearrangements occur. ALK is paired with a broad range of 5' fusion partners which all result in aberrant ALK homodimerization in the absence of ligand and constitutive activation. TIMP3 (~50%) was the most frequent fusion partner in the head and neck series. The gold standard for detection of ALK rearrangements is by FISH or NGS. Immunohistochemistry show cytoplasmic positivity for ALK⁷.

IMT often present with site specific symptoms. Oral IMT often present as slow growing, painless, well circumscribed nodular mass. IMT have a non specific radiographic presentation. Ultrasound may reveal a hypoechoic or hyperechoic mass with well or ill defined borders with increased vascularity on Doppler studies. Magnetic resonance imaging show low signal intensity on T1 and T2 weighed images with restricted diffusion due to fibrosis. CT imaging shows heterogenous density in unenhanced CT images in larger masses and homogenous density in unenhanced CT images in smaller masses⁸.

Biologically elevation of erythrocyte sedimentation rate and c-reactive protein, hypochromic normocytic anemia, thrombocytosis and hypergammaglobulinemia is seen in patients with IMT due to induction of inflammation⁹.

A systematic review of previously reported cases of IMT was performed. A systematic search of the literature was conducted in PubMed, Scopus, and Google Scholar using the keywords "Inflammatory myofibroblastic tumour," "IHC," "ALK positivity." Only English-language case reports and case series with adequate clinicopathological data were included. A total of 58 studies reporting cases of IMT have been reported. Table 1 illustrates a review of literature of IMT from 1981 to 2024 including the present case.

It was seen that lesions occur over the wide range of age group from 2 to 82 years with slight female predilection. The lesions often present as a firm, indurated swelling. Buccal mucosa is the most common site affected in the oral cavity.

Microscopically, myofibroblastic spindle cell proliferation with mixed inflammation is seen. Variety of histological pattern such as

1. Spindle to stellate cells admixed with inflammatory cells in a loosely arranged myxoid or hyaline stroma (nodular fasciitis – like).
 2. Elongated spindle cells lacking cytologic atypia or overt hyperchromasia with prominent lymphoplasmacytic infiltrate arranged in a fascicular or storiform growth pattern.
 3. Hypocellular, scar like pattern with occasional calcifications or metaplastic bone formation is seen.
- Ganglion like cells is seen in some tumours. Epithelioid variant is composed of plump round to epithelioid cells with vesicular chromatin, large prominent nucleoli, and amphiphilic to eosinophilic cytoplasm admixed with prominent neutrophilic component in a abundant myxoid stroma¹⁰.

Cytoplasmic positivity for ALK is seen in immunohistochemistry which is useful in differentiating IMT from other potential mimicking conditions in the head and neck region. Nuclear membrane or perinuclear pattern of ALK staining is seen in epithelioid variant¹¹. Table 2 summarizes the differential diagnosis of IMT with a key differentiating feature.

Surgery remains the treatment of choice for localized tumour. En bloc resection with R0 margins is the standardized surgical procedure. Mohs microsurgery or wide local excision involving removal of sarcoma with some surrounding normal tissue is done to ensure complete excision. Advanced or non operable cases are treated with chemotherapy. There is no standard chemotherapy regimen established for IMT. Anthracyclin based chemotherapy with methotrexate $\pm$ vinorelbine/vinblastine (MTX-V) is the commonly used regimen. Other regimens include oral cyclophosphamide and docetaxel/gemcitabine. Targeted therapy such as use of ALK inhibitors namely crizotinib¹².

CONCLUSION

Oral IMT is a rare locally aggressive benign mesenchymal neoplasm with non specific clinical, radiographic and pathologic features. It poses a significant diagnostic challenge because of the similar histopathological features with other myofibroblastic and fibroblastic tumour. Diagnosis is difficult with small incisional biopsy. A systematic approach sufficient tumour sampling are essential for establishing a diagnosis. Follow up is crucial to prevent the recurrence due to aggressive nature of this neoplasm.

ACKNOWLEDGMENT AND DISCLOSURE STATEMENT

The authors report no conflicts of interest related to this study.

CONSENT FOR PUBLICATION

Written Informed consent was obtained from the patient for the publication of the images.

REFERENCES

1. Duarte PP, Sousa R, Chaves M, Amaral N, Lourenço C. Inflammatory myofibroblastic tumour. *European Journal of Case Reports in Internal Medicine*. 2020;7(9). https://doi.org/10.12890/2020_001712
2. Lovly CM, Gupta A, Lipson D, Otto G, Brennan T, Chung CT, Borinstein SC, Ross JS, Stephens PJ, Miller VA, Coffin CM. Inflammatory myofibroblastic tumors harbor multiple potentially actionable kinase fusions. *Cancer discovery*. 2014 Aug 1;4(8):889-95. <https://doi.org/10.1158/2159-8290.CD-14-0377>
3. Tao J, Zhou ML, Zhou SH. Inflammatory myofibroblastic tumors of the head and nec. *International Journal of Clinical and Experimental Medicine*. 2015;8(2):1604. <https://pmc.ncbi.nlm.nih.gov/articles/PMC4402736/>
4. Coffin CM, Watterson J, Priest JR, Dehner LP. Extrapulmonary inflammatory myofibroblastic tumor (inflammatory pseudotumor) a clinicopathologic and immunohistochemical study of 84 cases. *The American journal of surgical pathology*. 1995 Aug 1;19(8):859-72.
5. Mariño-Enríquez A, Wang WL, Roy A, Lopez-Terrada D, Lazar AJ, Fletcher CD, Coffin CM, Hornick JL. Epithelioid inflammatory myofibroblastic sarcoma: an aggressive intra-abdominal variant of inflammatory myofibroblastic tumor with nuclear membrane or perinuclear ALK. *The American journal of surgical pathology*. 2011 Jan 1;35(1):135-44.
6. Gleason BC, Hornick JL. Inflammatory myofibroblastic tumours: where are we now?. *Journal of clinical pathology*. 2008 Apr 1;61(4):428-37. <https://doi.org/10.1136/jcp.2007.049387>
7. Coffin CM, Hornick JL, Fletcher CD. Inflammatory myofibroblastic tumor: comparison of clinicopathologic, histologic, and immunohistochemical features including ALK expression in atypical and aggressive cases. *The American journal of surgical pathology*. 2007 Apr 1;31(4):509-20.
8. Antonescu CR, Suurmeijer AJ, Zhang L, Sung YS, Jungbluth AA, Travis WD, Al-Ahmadie H, Fletcher CD, Alaggio R. Molecular characterization of inflammatory myofibroblastic tumors with frequent ALK and ROS1 gene fusions and rare novel RET rearrangement. *The American journal of surgical pathology*. 2015 Jul 1;39(7):957-67.
9. Preobrazhenskaya EV, Iyevleva AG, Suleymanova AM, Tiurin VI, Mitushkina NV, Bizin IV, Ivanstov AO, Gorustovich OA, Shelekhova KV, Kachanov DY, Varfolomeeva SR. Gene rearrangements in consecutive series of pediatric inflammatory myofibroblastic tumors. *Pediatric Blood & Cancer*. 2020 May;67(5):e28220. <https://doi.org/10.1002/pbc.28220>
10. Cook JR, Dehner LP, Collins MH, Ma Z, Morris SW, Coffin CM, Hill DA. Anaplastic lymphoma kinase (ALK) expression in the inflammatory myofibroblastic tumor: a comparative immunohistochemical study. *The American journal of surgical pathology*. 2001 Nov 1;25(11):1364-71.
11. Cessna MH, Zhou H, Sanger WG, Perkins SL, Tripp S, Pickering D, Daines C, Coffin CM. Expression of ALK1 and p80 in inflammatory myofibroblastic tumor and its mesenchymal mimics: a study of 135 cases. *Modern Pathology*. 2002 Sep 1;15(9):931-8. <https://doi.org/10.1097/01.MP.0000026615.04130.1F>
12. Yamamoto H, Yoshida A, Taguchi K, Kohashi K, Hatanaka Y, Yamashita A, Mori D, Oda Y. ALK, ROS 1 and NTRK 3 gene rearrangements in inflammatory myofibroblastic tumours. *Histopathology*. 2016 Jul;69(1):72-83. <https://doi.org/10.1111/his.12910>

13. Liston SL, Dehner LP, Jarvis CW, Pitzele C, Huseby TL. Inflammatory pseudotumors in the buccal tissues of children. *Oral Surgery, Oral Medicine, Oral Pathology*. 1981 Mar 1;51(3):287-91.
[https://doi.org/10.1016/0030-4220\(81\)90059-1](https://doi.org/10.1016/0030-4220(81)90059-1)
14. Earl PD, Lowry JC, Sloan P. Intraoral inflammatory pseudotumor. *Oral surgery, oral medicine, oral pathology*. 1993 Sep 1;76(3):279-83.
15. Ramachandra S, Hollowood K, Bisceglia M, Fletcher CD. Inflammatory pseudotumour of soft tissues: a clinicopathological and immunohistochemical analysis of 18 cases. *Histopathology*. 1995 Oct;27(4):313-23.
<https://doi.org/10.1111/j.1365-2559.1995.tb01521.x>
16. Shek AW, Wu PC, Samman N. Inflammatory pseudotumour of the mouth and maxilla. *Journal of clinical pathology*. 1996 Feb 1;49(2):164-7. <https://doi.org/10.1136/jcp.49.2.164>
17. Ide F, Shimoyama T, Horie N. Inflammatory pseudotumor in the mandibular retromolar region. *Journal of oral pathology & medicine*. 1998 Nov;27(10):508-10. <https://doi.org/10.1111/j.1600-0714.1998.tb01921.x>
18. Jiang W, Mishra S, Francis HW. Quiz case 4. *Archives of Otolaryngology–Head & Neck Surgery*. 2000 Jul 1;126(7):903-8.
19. Ide F, Shimoyama T, Horie N. Sclerosing inflammatory myofibroblastic tumour of the tongue: an immunohistochemical and ultrastructural study. *Oral oncology*. 2000 May 1;36(3):300-4.
[https://doi.org/10.1016/S1368-8375\(99\)00091-3](https://doi.org/10.1016/S1368-8375(99)00091-3)
20. Pankaj C, Uma C. How to manage oral inflammatory myofibroblastic tumor (inflammatory pseudotumor)? *Oral Diseases*. 2001;7(5):315-6.
21. Jordan RC, Regezi JA. Oral spindle cell neoplasms: a review of 307 cases. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*. 2003 Jun 1;95(6):717-24.
<https://doi.org/10.1067/moe.2003.1400>
22. Fang JC, Dym H. Myofibroblastic tumor of the oral cavity. *New York State Dental Journal*. 2004 Mar 1;70(3):28.
23. Brooks JK, Nikitakis NG, Frankel BF, Papadimitriou JC, Sauk JJ. Oral inflammatory myofibroblastic tumor demonstrating ALK, p53, MDM2, CDK4, pRb, and Ki-67 immunoreactivity in an elderly patient. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*. 2005 Jun 1;99(6):716-26.
<https://doi.org/10.1016/j.tripleo.2004.11.023>
24. Poh CF, Priddy RW, Dahlman DM. Intramandibular inflammatory myofibroblastic tumor—a true neoplasm or reactive lesion?. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*. 2005 Oct 1;100(4):460-6. <https://doi.org/10.1016/j.tripleo.2004.07.005>
25. Brooks JK, Nikitakis NG, Frankel BF, Papadimitriou JC, Sauk JJ. Oral inflammatory myofibroblastic tumor demonstrating ALK, p53, MDM2, CDK4, pRb, and Ki-67 immunoreactivity in an elderly patient. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*. 2005 Jun 1;99(6):716-26.
<https://doi.org/10.1016/j.tripleo.2004.11.023>
26. Weert SV, Manni JJ, Driessen A. Inflammatory myofibroblastic tumor of the parotid gland: case report and review of the literature. *Acta oto-laryngologica*. 2005 Apr 1;125(4):433-7.
<https://doi.org/10.1080/00016480410025225>
27. Gleizal A, Ranchere-Vince C, Beziat JL. Inflammatory myofibroblastic tumour of the tongue: a case report. *British Journal of Oral and Maxillofacial Surgery*. 2007 Jul 1;45(5):423-4.
<https://doi.org/10.1016/j.bjoms.2006.01.005>
28. Deshingkar SA, Tupkari JV, Barpande SR. Inflammatory myofibroblastic tumour of maxilla. *Journal of Oral and Maxillofacial Pathology*. 2007 Jul 1;11(2):76-9.
29. Oh JH, Yim JH, Yoon BW, Choi BJ, Lee DW, Kwon YD. Inflammatory pseudotumor in the mandible. *Journal of Craniofacial Surgery*. 2008 Nov 1;19(6):1552-3.
30. Xavier FC, Rocha AC, Sugaya NN, dos Santos-Pinto Jr D, de Sousa SC. Fibronectin as an adjuvant in the diagnosis of oral inflammatory myofibroblastic tumor. *Medicina oral, patologia oral y cirugia bucal*. 2009 Dec 1;14(12):e635-9. <https://doi.org/10.4317/medoral.14.e635>
31. Satomi T, Watanabe M, Matsubayashi J, Nagao T, Chiba H. A successfully treated inflammatory myofibroblastic tumor of the mandible with long-term follow-up and review of the literature. *Medical molecular morphology*. 2010 Sep;43:185-91. <https://doi.org/10.1007/s00795-009-0483-6>
32. Salgueiredo-Giudice F, Fornias-Sperandio F, Martins-Pereira É, dal Vechio AM, de Sousa SC, dos Santos-Pinto-Junior D. The immunohistochemical profile of oral inflammatory myofibroblastic tumors. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*. 2011 Jun 1;111(6):749-56.
<https://doi.org/10.1016/j.tripleo.2010.12.023>
33. Palaskar S, Koshti S, Maralingannavar M, Bartake A. Inflammatory myofibroblastic tumor. *Contemporary clinical dentistry*. 2011 Oct 1;2(4):274-7.
34. Binmadi NO, Packman H, Papadimitriou JC, Scheper M. Oral inflammatory myofibroblastic tumor: case report and review of literature. *The Open Dentistry Journal*. 2011;5:66.
<https://doi.org/10.2174/1874210601105010066>
35. Kim SY, Yang SE. Inflammatory myofibroblastic tumor of the maxillary sinus related with pulp necrosis of maxillary teeth: case report. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*. 2011 Nov 1;112(5):684-7. <https://doi.org/10.1016/j.tripleo.2011.05.004>

36. Lazaridou M, Dimitrakopoulos I, Tilaveridis I, Iordanidis F, Kontos K. Inflammatory myofibroblastic tumour of the maxillary sinus and the oral cavity. *Oral and maxillofacial surgery*. 2014 Mar;18:111-4. <https://doi.org/10.1007/s10006-013-0409-2>
37. Rautava J, Soukka T, Peltonen E, Nurmenniemi P, Kallajoki M, Syrj nen S. Unusual case of inflammatory myofibroblastic tumor in maxilla. *Case Reports in Dentistry*. 2013;2013(1):876503. <https://doi.org/10.1155/2013/876503>
38. Sah P, Byatnal AA, Rao L, Narayanaswamy V, Radhakrishnan R. Inflammatory myofibroblastic tumor: a rapidly growing soft tissue mass in the posterior mandible. *Head and neck pathology*. 2013 Dec;7:393-7. <https://doi.org/10.1007/s12105-013-0474-8>
39. Lazaridou M, Dimitrakopoulos I, Tilaveridis I, Iordanidis F, Kontos K. Inflammatory myofibroblastic tumour of the maxillary sinus and the oral cavity. *Oral and maxillofacial surgery*. 2014 Mar;18:111-4. <https://doi.org/10.1007/s10006-013-0409-2>
40. Yucel Ekici N, Bayindir T, Kizilay A, Aydin NE. Inflammatory myofibroblastic tumor: a rare tumor in the tongue. *Case reports in otolaryngology*. 2013;2013(1):787824. <https://doi.org/10.1155/2013/787824>
41. Rahman T, Sharma JD, Krishnatreya M, Kataki AC, Das A. Inflammatory myofibroblastic tumor of the upper alveolus: A rare entity presenting as a jaw swelling. *Annals of Maxillofacial Surgery*. 2014 Jul 1;4(2):227-9.
42. Stringer DE, Allen CN, Nguyen K, Tandon R. Intraosseous inflammatory myofibroblastic tumor in the mandible: a rare pathologic case report. *Case Reports in Surgery*. 2014;2014(1):565478. <https://doi.org/10.1155/2014/565478>
43. Biniraj KR, Janardhanan M. Inflammatory myofibroblastic tumor of maxilla showing sarcomatous change in an edentulous site with a history of tooth extraction following periodontitis: A case report with discussion. *Journal of Indian Society of Periodontology*. 2014 May 1;18(3):375-8.
44. Adachi M, Kiho K, Sekine G, Ohta T, Matsubara M, Yoshida T, Katsumata A, Tanuma JI, Sumitomo S. Inflammatory myofibroblastic tumor mimicking apical periodontitis. *Journal of endodontics*. 2015 Dec 1;41(12):2079-82. <https://doi.org/10.1016/j.joen.2015.09.006>
45. AlKindi MG. A rare case of inflammatory myofibroblastic tumor of the mandible mimicking a malignant tumor. *The Saudi Dental Journal*. 2017 Jan 1;29(1):36-40. <https://doi.org/10.1016/j.sdentj.2016.10.001>
46. Dodhia S, Merea VS, Hibshoosh H, Nedumcheril M, Gudis DA, Rahmati R, Waldman EH. An unusual presentation of a rare soft tissue tumor in the tongue: Inflammatory myofibroblastic tumor. *International Journal of Pediatric Otorhinolaryngology Extra*. 2017 Jan 1;15:1-3. <https://doi.org/10.1016/j.pedex.2016.11.003>
47. Tateishi Y, Okudela K, Kawai S, Suzuki T, Umeda S, Matsumura M, Kioi M, Ohashi K. Intraosseous inflammatory myofibroblastic tumor of the mandible with a novel ATIC-ALK fusion mutation: a case report. *Diagnostic Pathology*. 2016 Dec;11:1-6. <https://doi.org/10.1186/s13000-016-0586-z>
48. Andrade NN, Mathai PC, Kamil R, Aggarwal N. Inflammatory myofibroblastic tumour: A case report and a clinical update. *Journal of oral biology and craniofacial research*. 2017 Sep 1;7(3):219-22. <https://doi.org/10.1016/j.jobcr.2017.09.005>
49. Korlepara R, Guttikonda VR, Madala J, Taneeru S. Inflammatory myofibroblastic tumor of mandible: A rare case report and review of literature. *Journal of Oral and Maxillofacial Pathology*. 2017 Jan 1;21(1):136-9.
50. Sah BP, Mishra S, Shilpakar SL, Kandel DR. Inflammatory Myofibroblastic Tumor: A Rare Tumor in the Tongue. *International Journal of Head and Neck Surgery*. 2018 Apr 1;8(3):128-30.
51. Caporalini C, Moscardi S, Tamburini A, Pierossi N, Di Maurizio M, Buccoliero AM. Inflammatory myofibroblastic tumor of the tongue. Report of a pediatric case and review of the literature. *Fetal and Pediatric Pathology*. 2018 Mar 4;37(2):117-25. <https://doi.org/10.1080/15513815.2017.1385667>
52. Monteiro L, Alhassani M, Resende T, Albuquerque R. Inflammatory myofibroblastic tumour of the jaw: A rare presentation. *Journal of Stomatology, Oral and Maxillofacial Surgery*. 2020 Feb 1;121(1):90-4. <https://doi.org/10.1016/j.jormas.2019.02.017>
53. Shetty SJ, Pereira T, Desai RS. Inflammatory myofibroblastic tumor of the oral cavity: A case report and literature review. *Journal of Cancer Research and Therapeutics*. 2019 Apr 1;15(3):725-8.
54. Trevi o-Gonzalez JL, Montemayor-Alatorre A, M endez-S enz MA, Morales-Del  ngel JA, Jes s Jr M. Inflammatory Myofibroblastic Tumor at base of Tongue: A Case Report. *Journal of Surgery and Research*. 2020;3(3):204-11.
55. Rahman MA. Inflammatory myofibroblastic tumour of the mandible–A case report. *Update Dental College Journal*. 2020 Apr 17;10(1):21-4. <https://doi.org/10.3329/updcj.v10i1.46688>
56. Eley KA, Watt-Smith SR. Intraoral presentation of inflammatory myofibroblastic tumor (pseudotumor) at the site of dental extraction: report of a case and review of the literature. *Journal of oral and maxillofacial surgery*. 2010 Aug 1;68(8):2016-20. <https://doi.org/10.1016/j.joms.2009.11.006>
57. Dhivakar CP, Govindasamy BR, Pandian DS, Vishnu RA. Inflammatory myofibroblastic tumor of gingiva in a patient with constitutional growth delay: a rare case report. *Journal of Indian Society of Periodontology*. 2021 May 1;25(3):250-3.
58. Ab Rahman N, Harun MH, Sharif SE. Myofibroblastic sarcoma of the oral cavity: a diagnostic dilemma and report of two cases. *Journal of Oral Medicine and Oral Surgery*. 2022;28(2):22. <https://doi.org/10.1051/mbcb/2022010>

59. Etit D, Vergili A, Konur M, Balci MK. Giant inflammatory myofibroblastic tumor of oral cavity: a case report and literature review. *European Journal of Medical Case Reports*. 2022;6(3):43-7.
60. Patil PH, Pereira T, Winnier JJ, Shetty JS. Inflammatory myofibroblastic tumor in the retromolar region of an 8-year-old child: A rare finding. *Journal of Oral and Maxillofacial Pathology*. 2022 Feb 1;26(Suppl 1):S80-3.
61. Goyal L, Rao S, Reddy GS, Agarwal P. Inflammatory myofibroblastic tumor of anterior maxillary gingiva: An unusual clinical presentation. *Journal of Oral and Maxillofacial Pathology*. 2022 Feb 1;26(Suppl 1):S73-6.
62. Diao L, Li W, Jiang Q, Huang H, Zhou E, Peng B, Chen X, Zeng Z, He C. Inflammatory myofibroblastic tumor of the submandibular gland Harboring MSN-ALK gene fusion: A case report and literature review. *Heliyon*. 2023 Dec 1;9(12). <https://doi.org/10.1016/j.heliyon.2023.e22928>

Table 1-Review of literature from 1981 to 2024

Author/ Year	Age/Ge nder	Location	Radiographic findings	Histopathological features	Final diagn osis	Follow up With no signs of recurrenc e
Listonet et al., / 1981 ¹³	4/F	Buccal mucosa	NA	Loose myxoid stroma containing plump fibroblasts and dense eosinophilic bands of collagen	IMT	6 months
	2/F	Buccal mucosa	NA	Stellate appearance with mixture of fibroblasts and chronic inflammatory cells	IMT	10 months
	6/M	Buccal mucosa	NA	Plump and spindle shaped fibroblast in a myxoid stroma with inflammatory cells	IMT	NA
Earl et al., / 1993 ¹⁴	44/M	Buccal mucosa	Soft tissue swelling	Plump spindle cells in a fibromyxoid stroma that contained numerous inflammatory cells	IMT	2 years
Ramachandran et al., / 1995 ¹⁵	77/F	Buccal mucosa	NA	Fibroblastic and myofibroblastic spindle cells with aggregates of lymphocytes	IMT	NA
Shek et al., / 1996 ¹⁶	20/M	Buccal mucosa	MRI – Infiltrative lesion invading skin and parotid duct	Fascicles of elongated spindle cells in a mixed inflammatory background	IMT	13 months
	36/F	Maxilla	CT – Cystic lesion	Fascicles of plump spindle cells with abundant plasma cells and lymphocytes	IMT	13 months
Ide et al., / 1998 ¹⁷	43/F	Retromolar gingiva	NA	Pseudosarcomatous proliferation of spindle and rounded cells in fascicles admixed with chronic inflammatory cells	IMT	1 year
Cable et al., / 2000 ¹⁸	29/F	Hard palate	CT – Small area of ill defined soft tissue lesion	Sheet like proliferation of spindle shaped cells intermixed with variable number of inflammatory cells	IMT	1 year
Ide et al., / 2000 ¹⁹	27/M	Tongue	NA	Cellular spindle cell proliferation with chronic inflammatory cell infiltrate	IMT	NA
Pankaj et al., / 2001 ²⁰	-	Tongue	NA	Spindle proliferation in a myxoid stroma	IMT	NA
Jordan et al., / 2003 ²¹	23/M	Mandible	NA	Spindle cell proliferation with pseudosarcomatous appearance infiltrated with inflammatory cells	IMT	NA

Fang et al., / 2004 ²²	23/M	Retromolar gingiva	Radiolucency osteolytic lesion	Spindle cell proliferation with a background of extensive inflammation	IMT	6 months
Brooks et al., / 2004 ²³	82/F	Mandible	Soft tissue image of the lesion overlying a resorptive defect.	Proliferation of spindle cells admixed with numerous acute and chronic inflammatory cells	IMT	18 months
Poh et al., / 2004 ²⁴	42/F	Mandible	Well demarcated radiolucent lesion	Short spindle cells with uniformly distributed inflammatory cells in a feather like background	IMT	6 months
Brooks et al., / 2005 ²⁵	82/F	Mandible	Panorahy – Homogenous soft tissue mass	Proliferation of spindle cells admixed with numerous acute and chronic inflammatory cells	IMT	18 months
Gleizal et al., / 2006 ²⁶	23/F	Tongue	NA	Proliferating myofibroblastic cells with plasmacytes and lymphocytes	IMT	14 years
Deshinger et al., / 2007 ²⁷	30/F	Maxilla	CT – Ill defined and heterogenously enhancing mass	Fascicles of spindle shaped cells intermixed with inflammatory infiltrate	IMT	NA
Johann et al., / 2008 ²⁸	33/M	Mandible	NA	Fascicular proliferation of spindle cells with diffuse inflammatory cell infiltrate	IMT	28 months
Oh et al., / 2008 ²⁹	20/F	Mandible	Ill defined osteolytic lesion	Non specific acute and chronic inflammatory cells including plasmacytic hyperplasia with spindle cells	IMT	22 months
Xavier et al., / 2009 ³⁰	23/F	Floor of the mouth	Insignificant	Cellular lesion with focal fascicular arrangement of spindle cells with prominent inflammatory component	IMT	2 years
Eley et al., / 2010 ³¹	29/M	Maxilla	Soft tissue mass	Spindle cells and stellate cells in a stroma.	IMT	6 years
Satomiet et al., / 2010 ³²	14/F	Mandible	Panography – Homogenous soft tissue mass	Haphazard proliferation of fibroblastic and myofibroblastic spindle cells in a inflamed stroma	IMT	10 years
Salgueiredo et al., / 2011 ³³	31/F 31/F 60/M	Tongue Alveolar mucosa Buccal mucosa	NA NA NA	Spindled myofibroblastic cells accompanied by an inflammatory cells	IMT IMT IMT	18-48 months 18-48 months 18-48 months
Palaskar et al / 2011 ³⁴	19/M	Mandible	NA	Non encapsulated mass of connective tissue stroma with diffuse and focal infiltration of inflammatory cells with spindle cells interspersed in between	IMT	6 months
Binmandi et al., / 2011 ³⁵	40/F	Gingiva	Unremarkable	Proliferation of spindle cells admixed with numerous chronic inflammatory cells in a fibrous and myxoid background	IMT	4 months
Kim et al., / 2011 ³⁶	24/M	Maxillary sinus	CT – Soft tissue mass involving left maxillary sinus	Plump myofibroblasts and moderate lymphocytes and plasma cells infiltrate	IMT	15 months
Lourenco et al., / 2012 ³⁷	14/M	Tongue	NA	Proliferation of plump spindle cells on a myxoid background	IMT	1 year

Rautava et al., / 2013 ³⁸	11/F	Maxilla	CBCT – Cystic, osteolytic area	Haphazardly arranged myofibroblastic spindle cells in a inflamed stroma	IMT	3 years
Sah et al., / 2013 ³⁹	30/M	Mandible	CT – Hypodense area	Fascicles of spindle shaped cells admixed with inflammatory cells	IMT	7 months
Lazaridou et al., / 2013 ⁴⁰	75/F	Buccal mucosa	CT – Non homogenous mass with moderate enhancement	Neoplastic spindle cells arranged in a storiform and fascicular pattern with variable amount of inflammatory cells	IMT	1 year
Ekici et al., / 2013 ⁴¹	75/M	Tongue	NA	Spindle shaped pleomorphic cellular elements in a granulation like tissue	IMT	1 year
Rahman et al., / 2014 ⁴²	36/M	Maxilla	CT – Heterogenously enhancing soft tissue mass lesion	Low grade collagenous and focally myxoid spindle cell neoplasm	IMT	1 year
Stringer et al., / 2014 ⁴³	16/M	Mandible	Well circumscribed radiolucent circular lesion	Myofibroblastic spindle cells with scattered lymphocytes	IMT	6 months
Biniraj et al / 2014 ⁴⁴	38/F	Maxillary sinus	MRI – T1 weighed image with contrast showing soft tissue lesion	Fascicles of proliferating spindle cells admixed with inflammatory cells	IMT	NA
Adachi et al., / 2015 ⁴⁵	42/M	Mandible	MRI – Low intensity on an enhanced T1 image and an enhanced margin of the lesion on a gadolinium enhanced T1 weighed image	Fascicles of spindle shaped cells admixed with dense inflammatory cells	IMT	1 year
Nitesh et al., / 2015 ⁴⁶	70/M	Retromolar area	NA	NA	IMT	NA
Alkindi et al., / 2016 ⁴⁷	27/F	Mandible	MRI – Focal area of solid homogenous tissue	Myofibroblastic spindle cell proliferation admixed with chronic inflammatory cell infiltrate	IMT	2 years
Dodhia et al.,/ 2016 ⁴⁸	10/M	Tongue	NA	Moderately cellular fascicles of spindle cells with myofibroblastic appearance and scattered lymphocytes	IMT	6 months
Tateishi et al., / 2016 ⁴⁹	11/F	Mandible	CT – Well circumscribed non expansile 3 cm osteolytic lesion	Plump spindle cell proliferation in a storiform pattern and lymphocytes scattered around the spindle cells in a myxoid background	IMT	18 months
Andrade et al / 2017 ⁵⁰	35/M	Mandible	CBCT – Lytic expansile mass in the anterior and right posterior mandible	Spindle shaped myofibroblast cells and chronic inflammatory cells	IMT	1 year
Kolrepara et al., / 2017 ⁵¹	22/M	Mandible	OPG – Irregular radiolucency extending from distal aspect of	Fascicles of elongated spindle cells in a fibrous stroma admixed with intense inflammatory cells infiltrate	IMT	NA

			38 to posterior border of ramus			
Bajrang P sha et al., / 2017 ⁵²	30/F	Tongue	MRI – Heterogenous hyperintense on T2 weighed image, hypointense on T1 weighed image.	Spindle to oval cells admixed with lymphocytes, plasma cells and eosinophils.	IMT	2 years
Chiara caporalini et al., / 2018 ⁵³	10 mon/F	Tongue	MRI – Hyperintensity on T2 weighed images and STIR sequences after contrast injections.	Spindle shaped cells admixed with plasma cells, lymphocytes, eosinophils	IMT	1 year
Louis monteiro et al., / 2019 ⁵⁴	16/M	Buccal mucosa	NA	Fusiform cells with histiocyte and lymphoplasmic inflammatory infiltrate	IMT	6 months
Supraj J Shetty., / 2019 ⁵⁵	29/M	Gingiva	NA	Compact cellular spindle cell proliferation in storiform pattern intermixed with inflammatory infiltrate	IMT	NA
Jose Louis Trevino Gonzalez et al., / 2020 ⁵⁶	43/M	Tongue	Insignificant	NA	IMT	6 months
Mohammed asifur rahman / 2020 ⁵⁷	40/F	Mandible	CT – Hypodense area involving molar region	Spindle shaped cells in a fascicular growth pattern admixed with lymphocytes, plasma cells, neutrophils and eosinophils.	IMT	1 year
Vikender S yadav et al., / 2020 ⁵⁸	50/F	Gingiva	Insignificant	Subepithelial fibroblastic lesion infiltrated with chronic inflammatory cells	IMT	2 years
Eley et al., / 2020 ⁵⁹	29/M	Buccal alveolus	Insignificant	Stellate and bipolar spindle cells in a myxoid stroma	IMT	6 years
Dhivakar CP et al., / 2021 ⁶⁰	22/M	Gingiva	NA	Proliferating spindloid fibroblast and myofibroblasts with dense inflammatory infiltrate.	IMT	NA
Nurhayu ab rahman et al., / 2022 ⁶¹	70/M	Tongue	Insignificant	Infiltrative proliferation of spindle cells in a fascicular and storiform pattern.	IMT	2 months
	55/M	Palate		Cellular spindle cells arranged in long fascicles, broad sheets and haphazard pattern.	IMT	12 weeks
Demet etit et al., / 2022 ⁶²	58/F	Buccal mucosa	MRI – intense homogenous contrast involvement	Spindle shaped myofibroblast like cells intermixed with inflammatory cells.	IMT	3 months
Patil PH et al., / 2022 ⁶³	8/M	Retromolar region	Insignificant	Spindle cells in interlacing fascicles are seen in subepithelial location	IMT	6 months
Goyal et al., / 2022 ⁶⁴	27/F	Gingiva	Insignificant	Highly cellular stroma with plasma cells and subepithelial spindle cells arranged in fascicles	IMT	2 years
Limi Diaeo et al., / 2023 ⁶⁵	47/M	Submandibular gland	CT – isodense nodular shadow in the submandibular gland	Spindle and oval shaped cells were arranged in sheets and intersecting fascicles admixed with inflammatory cells	IMT	13 months

Present Case	9/F	Buccal mucosa	Ultrasonography – Well defined heteroechoic solid lesion	Irregularly arranged fascicles of spindle cells and inflammatory cells	IMT	1 year
--------------	-----	---------------	--	--	-----	--------

NA – Not available

Table 2 – Differential diagnosis of inflammatory myofibroblastic tumour with key differentiating feature

Nodular fasciitis	Common in extremities. Feathery appearance with C-shaped fascicles and mucin rich stroma with less prominent inflammatory infiltrate. ALK negative.
Solitary fibrous tumour	Areas resembling hemangiopericytoma with strong immunopositivity for CD34.
Benign fibrous histiocytoma	Typical storiform pattern
Calcifying fibrous tumour	Hypocellular benign neoplasm. Scattered dystrophic calcification is seen.
Desmoid type fibromatosis	Spindle cells with interspersed collagen with minimal to no inflammation and negative for ALK.
Myofibroma	Biphasic growth pattern with hemangiopericytoma like blood vessels
Fibrosarcoma	Collagenous area with herring bone pattern with less prominent inflammatory cells.
Follicular dendritic cell tumour	Dendritic spindle cells admixed with inflammatory infiltrate
Granulocytic sarcoma	Dense subepithelial infiltrate of pleomorphic cells
Inflammatory leiomyosarcoma	More organized fascicular growth with cigar shaped nuclei.
IgG4 related sclerosing disease	The IgG4+/IgG ratio is significantly higher than in IMT and is negative for ALK.
Hodgkins lymphoma	Shows positivity for CD15 and CD30 and negativity for ALK 1.
Inflammatory fibroid polyp	Myxoid stroma with lymphocytes and eosinophils.
Gastrointestinal stromal tumour	Inflammation is rich in lymphocytes, with rare eosinophils or plasma cells. DOG1 and CD117 are positive while ALK is negative.



Fig 1. Gross image showing swelling and facial asymmetry




Fig 2. Radiographic image showing heteroechoic solid lesion



Fig 3. Gross image of the lesion




Fig 4. H&E staining shows irregular fascicles of spindle cells and inflammatory cells at 10x.




Fig 5. H&E image showing fascicles of spindle cells and inflammatory cells at 40x.