



Medicinal Plants of Punjab: A Review

Manpreet¹, Navdeep Kaur², Shveta^{3*}

¹Department of Botany, Sri Guru Teg Bahadur Khalsa College, Sri Anandpur Sahib, Punjab – 140118

²Department of Botany, Sri Guru Granth Sahib World University, Fatehgarh Sahib, Punjab – 140407

^{3*}Department of Botany, Sri Guru Granth Sahib World University, Fatehgarh Sahib, Punjab – 140407, Email: shvetakaushal07@gmail.com

Abstract

Medicinal plants are a key part of Punjab's nature and culture, historically used for rural healthcare and supporting local livelihoods. This is crucial to review information on the variety, geographic distribution, traditional uses, chemical properties, and farming potential of regional ethnomedicinal flora found across the Shivalik hills and river areas-such as *Phyllanthus emblica*, *Withania somnifera*, *Tinospora cordifolia*, and numerous herbs and trees used for conditions ranging from digestive disorders to respiratory issues. Furthermore, the need of the hour is to address human-induced threats to these plants and emphasizes how combining traditional knowledge with lab testing and better agricultural practices can safeguard regional biodiversity and ensure sustainable use.

Keywords: Ethnomedicine; Phytochemical screening; Pharmacological validation; Shivalik foothills; Agricultural diversification; Conservation.

1. Introduction

For millennia, plants have served as humanity's primary pharmacy, offering incredible solutions for disease management and physiological maintenance. Even amidst the dominance of modern clinical medicine, plant-derived therapies remain foundational for vast populations across the developing world, where herbal remedies offer accessible, culturally resonant, and economically viable healthcare options. According to global health figures, nearly 80 percent of rural populations in developing nations continue to depend directly or indirectly on traditional botanical remedies for primary care (Singh *et al.*, 2018; WHO, 2013; Gajarmal *et al.*, 2020).

India stands out globally for its exceptional botanical diversity, anchored by established traditional systems like Ayurveda, Siddha, and Unani, alongside countless localized oral traditions. These paradigms rely on thousands of indigenous plant species, many of which contain potent bioactive secondary metabolites that have historically inspired modern drug design. As modern research pivots toward reverse pharmacology and natural product optimization, rigorous investigation into phytochemical composition, safety margins, and molecular mechanisms has elevated the standing of traditional botanicals within mainstream pharmaceutical science (Fabricant & Farnsworth, 2001; Sidhu & Sharma, 2013; Atanasov *et al.*, 2021; Naphade & Jadhav, 2025).

While Punjab is globally recognized as the epicenter of India's intensive agrarian Green Revolution, its varied micro-topography-encompassing the undulating Shivalik foothills, seasonal rivulets, wetlands, and forest patches harbors a surprisingly resilient wealth of medicinal flora. Local communities have long leveraged these plants to manage everything from common gastrointestinal upsets and respiratory distress to chronic inflammatory conditions and metabolic disorders. Field surveys across the state have consistently documented this rich knowledge, though much of it remains scattered across localized reports (Singh *et al.*, 2018; Kaur *et al.*, 2020; Kumar *et al.*, 2026).

Simultaneously, shifting economic pressures and agricultural sustainability concerns have sparked interest in crop diversification. Cultivating high-value medicinal plants offers Punjab's farmers an attractive alternative to conventional wheat-paddy rotations. However, realizing this potential requires strict adherence to Good Agricultural and Collection Practices (GACP), quality planting material, and sound market linkages (WHO, 2003; Singh, 2023; Singh & Baldi, 2023). This review brings together these disparate threads, synthesizing floristic, phytochemical, and socioeconomic literature to offer a comprehensive assessment of Punjab's medicinal plant wealth.

2. Methodological Framework in Regional Ethnobotany

Research into Punjab's medicinal flora requires methods that incorporated field ethnography with laboratory phytochemistry and agricultural science. Over recent decades, investigators have relied on several core methodologies:

2.1 Ethnobotanical Fieldwork and Interviews

Direct engagement with village elders, traditional healers (Vaid), and farming communities remains the bedrock of local data collection. Through semi-structured interviews and participatory walks, researchers document local nomenclature, plant parts utilized, preparation methods, and therapeutic indications (Jain, 1991; 2018; Kaur *et al.*, 2020).

2.2 Floristic Surveys and Herbarium Inventories

Taxonomic field surveys identify wild species within their native habitats ranging from scrub forests to agricultural margins (Singh *et al.*, 2018; Kumar *et al.*, 2026).

2.3 Synthesis of Phytochemical and Pharmacological Data

Rather than repeating established laboratory screens, contemporary reviews critically evaluate published bioactivity assays. Aligning traditional uses with modern pharmacological metrics-such as antioxidant capacity, enzyme inhibition, or antimicrobial potency-lends credibility to historical claims (Gajarmal *et al.*, 2020; Heinrich *et al.*, 2020).

2.4 Agronomic and Socio-Economic Evaluations

Evaluating the viability of medicinal plant cultivation involves analyzing soil parameters, micro-climates, input costs, and market demand. Farmer-centric surveys illuminate supply chain bottlenecks, helping extension agents design feasible crop diversification models (Singh, 2023; Singh & Baldi, 2023).

3. Biogeographic Diversity and Distribution Across Punjab

Punjab's position within the Trans-Gangetic plains yields distinct agro-climatic zones that govern plant distribution. The north-eastern districts, bestowed by the Shivalik hills, feature higher precipitation and cooler thermal regimes, fostering moisture-dependent species. Conversely, the south-western districts experience semi-arid extremes, favoring drought-hardy xerophytic taxa (Singh, 2023; Kumar *et al.*, 2026).

The Shivalik belt represents the state's primary biodiversity reservoir. Undulating terrain and fertile forest soils support native populations of high-value taxa like *Phyllanthus emblica*, *Withania somnifera*, and *Tinospora cordifolia*. Meanwhile, in the intensively farmed plains, medicinal species persist along field bunds, village commons, and canal banks, or are increasingly integrated into planned agroforestry systems (Singh *et al.*, 2018; Gajarmalet *et al.*, 2020).

4. Ethnomedicinal Heritage and Traditional Systems

Traditional healing in Punjab operates at the intersection of codified classical frameworks (Ayurveda, Unani) and pragmatic household folk remedies. Decoctions, fresh leaf juices, and root powders are routinely used to manage seasonal fevers, digestive issues, and dermatological complaints. While modern clinics are widely accessible, cultural familiarity and cost-effectiveness ensure that herbal self-care remains an active pillar of rural life (Singh *et al.*, 2018; Patel *et al.*, 2020).

However, this living archive faces severe pressure. Rapid modernization, land-use conversion, and the diminishing status of traditional practitioners threaten to sever the intergenerational transfer of botanical knowledge. Systematic documentation serves as an essential defense against this cultural and biological amnesia (Kaur *et al.*, 2020).

5. Major Medicinal Plants of Punjab

The state's flora encompasses diverse life forms ranging from annual herbs to towering trees harboring rich secondary metabolite profiles including alkaloids, flavonoids, glycosides, and essential oils. Table: 1 outlines some prominent medicinal species documented in Punjab, detailing their botanical identities, traditional uses, pharmacological activities, and primary references.

S. No.	Botanical Name	Hindi/Punjabi name	Major Phytochemicals	Traditional uses/ Pharmacological activities	References
1	<i>Abelmoschus moschatus</i> (Malvaceae)	Musk Mallow / Mushkdana	Farnesol, flavonoids, sterols, tannins	Cough, digestive disorders, skin diseases, antioxidant, antimicrobial, anti inflammatory	Kapoor (2001); Khare (2007)
2	<i>Achyranthes porphyristachya</i> (Amaranthaceae)	Prickly Chaff Flower/ Apamarga / Putth Kanda	Achyranthine, saponins, flavonoids	Wounds, dysentery, cough, joint pain, anti-inflammatory, antimicrobial, diuretic	Chopra <i>et al.</i> (1956); Khare (2007)
3	<i>Allium sativum</i> (Amaryllidaceae)	Garlic / Lahsun / Lasan	Allicin, ajoene, diallyl sulfides	Hypertension, infections, hyperlipidemia, antimicrobial, cardioprotective, antioxidant	Rivlin (2001); Duke (2002)
4	<i>Aloe vera</i> (Asphodelaceae)	Aloe vera / Gwarpatha	Acemannan, aloin, barbaloin	Burns, wounds, gastric ulcers, constipation, Wound healing, antimicrobial, gastroprotective	Benzie & Wachtel-Galor (2011); Khare (2007)

5	<i>Amaranthus polygamus</i> (Amaranthaceae)	Dwarf Amaranth / Chaulai	Betalains, flavonoids, vitamins A & C	Anemia, nutritional deficit, indigestion, antioxidant, anti-inflammatory, antidiabetic	CSIR (1948-1976); Khare (2007)
6	<i>Azadirachta indica</i> (Meliaceae)	Neem	Azadirachtin, nimbin, nimbidin	Skin diseases, fever, diabetes, wounds, antimicrobial, anti-inflammatory, antidiabetic	Biswas <i>et al.</i> (2002); Khare (2007)
7	<i>Boerhavia diffusa</i> (Nyctaginaceae)	Spreading Hogweed / Punarnava / It-sit	Punarnavine, boeravinones, alkaloids	Edema, kidney disorders, liver ailments, Diuretic, hepatoprotective, nephroprotective	Kapoor (2001); Khare (2007)
8	<i>Bryophyllum pinnatum</i> (Crassulaceae)	Miracle Leaf / Patharchatta / Zakhm-e-Hayat	Bufadienolides, flavonoids, malic acid	Kidney stones, wounds, burns, ulcers, nephroprotective, wound healing, antimicrobial	Khare (2007); Kirtikar & Basu (1935)
9	<i>Calendula officinalis</i> (Asteraceae)	Pot Marigold / Calendula / Gulsarfi	Triterpenoids, carotenoids, phenolics	Wounds, burns, dermatitis, mouth ulcers, wound healing, antimicrobial, antioxidant	Bown (1995); Duke (2002)
10	<i>Centella asiatica</i> (Apiaceae)	Gotu Kola / Brahmi	Asiaticoside, madecassoside, saponins	Memory enhancement, anxiety, wounds, neuroprotective, wound healing, anxiolytic	Benzie & Wachtel-Galor (2011); Kapoor (2001)
11	<i>Cicer arietinum</i> (Fabaceae)	Chickpea / Chana / Chholay	Proteins, isoflavones, phenolic acids	Weakness, digestive issues, anemia, antioxidant, hypoglycemic, cardioprotective	CSIR (1948-1976); Khare (2007)
12	<i>Coriandrum sativum</i> (Apiaceae)	Coriander / Dhaniya	Linalool, terpinene, flavonoids	Indigestion, flatulence, diabetes Antioxidant, antimicrobial, hypoglycemic	Duke (2002); Kapoor (2001)
13	<i>Cuminum cyminum</i> (Apiaceae)	Cumin / Jeera	Cuminaldehyde, terpenes, flavonoids	Indigestion, flatulence, diarrhea, cough, carminative, antioxidant, antimicrobial	Kapoor (2001); Khare (2007)
14	<i>Curcuma longa</i> (Zingiberaceae)	Turmeric / Haldi	Curcumin, demethoxycurcumin, turmerones	Wounds, arthritis, digestive disorders, anti-inflammatory, antioxidant, anticancer	Kapoor (2001); Kirtikar & Basu (1935)
15	<i>Cuscuta reflexa</i> (Convolvulaceae)	Giant Dodder / Amarbel	Flavonoids, coumarins, cuscutin	Skin diseases, hair disorders, urinary ailments, anti-inflammatory, antimicrobial, hepatoprotective	Chopra <i>et al.</i> (1956); Khare (2007)
16	<i>Cymbopogon schoenanthus</i> (Poaceae)	Camel Grass / Gandhatrina	Citral, geraniol, essential oils	Fever, digestive disorders, muscle pain, antimicrobial, antioxidant, anti-inflammatory	Duke (2002); Handa <i>et al.</i> (2008)
17	<i>Cynodon dactylon</i> (Poaceae)	Bermuda Grass / Doob / Takri	Flavonoids, glycosides, terpenoids	Wounds, urinary disorders, skin diseases, antioxidant, antimicrobial, diuretic	Khare (2007); Kirtikar & Basu (1935)
18	<i>Eclipta alba</i> (Asteraceae)	False Daisy / Bhiringraj / Bhangra	Wedelolactone, demethylwedelolactone	Liver disorders, hair loss, skin diseases, hepatoprotective, antioxidant, neuroprotective	Kapoor (2001); Khare (2007)
19	<i>Emblica officinalis</i> (Phyllanthaceae)	Indian Gooseberry / Amla	Ascorbic acid, emblicanin A & B	Cough, digestive disorders, diabetes, antioxidant, hepatoprotective, anti-inflammatory	Scartezzini & Speroni (2000); Duke (2002)
20	<i>Glycyrrhiza glabra</i> (Fabaceae)	Licorice / Mulethi / Jethi Madh	Glycyrrhizin, liquiritin, saponins	Cough, sore throat, gastric ulcers, expectorant, antiviral, anti-inflammatory	Duke (2002); Kapoor (2001); Khare (2007)
21	<i>Mentha arvensis</i> (Lamiaceae)	Field Mint / Pudina	Menthol, menthone, limonene	Indigestion, nausea, cold, headache, carminative, antimicrobial, antispasmodic	Kapoor (2001); Duke (2002); Khare (2007)
22	<i>Mollugocerviana</i> (Molluginaceae)	Thread-stem Carpetweed / Parpataka	Orientin, vitexin, alkaloids, saponins	Fever, urinary disorders, skin diseases, antipyretic, diuretic, antioxidant	Chopra <i>et al.</i> (1956); Khare (2007)

23	<i>Moringa oleifera</i> (Moringaceae)	Drumstick Tree / Sehjan / Soanjhna	Quercetin, kaempferol, glucosinolates	Malnutrition, anemia, inflammation, antioxidant, anti- inflammatory, antidiabetic	Anwar <i>et al</i> . (2007); Fahey (2005)
24	<i>Ocimum tenuiflorum</i> (Lamiaceae)	Holy Basil / Tulsi	Eugenol, ursolic acid, rosmarinic acid	Cough, cold, fever, respiratory disorders, adaptogenic, antimicrobial, immunomodulatory	Prakash & Gupta (2005); Kapoor (2001)
25	<i>Oxalis corniculata</i> (Oxalidaceae)	Creeping Wood Sorrel / Changeri	Oxalic acid, flavonoids, vitamin C	Diarrhea, dysentery, indigestion, wounds Antioxidant, antimicrobial, anti-inflammatory	Khare (2007); Magna Scientia (2022)
26	<i>Pimpinella anisum</i> (Apiaceae)	Anise / VilayatiSaunf	Anethole, flavonoids, coumarins	Dyspepsia, flatulence, cough, bronchitis, carminative, antimicrobial, expectorant	Bown (1995); Duke (2002)
27	<i>Portulaca oleracea</i> (Portulacaceae)	Common Purslane / Kulfa	Omega-3 fatty acids, betalains, vitamins	Urinary disorders, digestive ailments, fever, antioxidant, anti-inflammatory, cardioprotective	CSIR (1948- 1976); Khare (2007)
28	<i>Ranunculus muricatus</i> (Ranunculaceae)	Spiny-fruited Buttercup / Jal- dhaniya	Ranunculin, protoanemonin, flavonoids	Rheumatism, skin diseases, joint pain, rubefacient, antimicrobial, anti- inflammatory	Khare (2007); Kirtikar& Basu (1935)
29	<i>Seseli indicum</i> (Apiaceae)	Wild Ajwain / Banajwain	Limonene, p- cymene, essential oils	Indigestion, abdominal cramps, flatulence, carminative, antimicrobial, antispasmodic	Brindha <i>et al</i> . (1981); Khare (2007)
30	<i>Teramnus labialis</i> (Fabaceae)	Wild Horse Gram / Mashparni	Flavonoids, alkaloids, polysaccharides	Weakness, fatigue, reproductive disorders Adaptogenic, antioxidant, anti- inflammatory	CSIR (1948- 1976); Khare (2007)
31	<i>Terminalia bellirica</i> (Combretaceae)	Belleric Myrobalan / Baheda	Gallic acid, ellagic acid, tannins	Cough, digestive disorders, eye diseases, antioxidant, antimicrobial, hepatoprotective	Khare (2007); Duke (2002); Kapoor (2001)
32	<i>Terminalia chebula</i> (Combretaceae)	Chebulic Myrobalan / Harad / Harar	Chebulagic acid, chebulinic acid, tannins	Constipation, indigestion, sore throat, antioxidant, antimicrobial, laxative	Bag <i>et al</i> . (2013); Khare (2007)
33	<i>Tinospora cordifolia</i> (Menispermaceae)	Guduchi / Giloy	Tinosporaside, berberine, cordifolioside	Fever, diabetes, liver disorders Immunomodulatory, antioxidant, hepatoprotective	Upadhyay <i>et al</i> . (2010); Khare (2007)
34	<i>Trachyspermum ammi</i> (Apiaceae)	Bishop's Weed / Ajwain	Thymol, carvacrol, γ - terpinene	Indigestion, flatulence, cough, asthma, antimicrobial, antioxidant, bronchodilatory	Duke (2002); Kapoor (2001); Khare (2007)
35	<i>Tribulus alatus</i> (Zygophyllaceae)	Winged Caltrop / JangliGokharu	Steroidal saponins, diosgenin, flavonoids	Urinary disorders, kidney stones, diuretic, antioxidant, aphrodisiac, nephroprotective	Chandrashekh ar <i>et al</i> . (2012); Kaushik (2013)
36	<i>Trigonella foenum-graecum</i> (Fabaceae)	Fenugreek / Methi	Trigonelline, diosgenin, saponins	Diabetes, hyperlipidemia, lactation support, hypoglycemic, hypolipidemic, antioxidant	Duke (2002); Kapoor (2001); Khare (2007)
37	<i>Urginea indica</i> (Asparagaceae)	Indian Squill / Jangli Piyaz	Scillaren A & B, bufadienolides	Bronchitis, cough, edema, cardiac ailments, expectorant, cardiotonic, antimicrobial	Khare (2007); Kirtikar& Basu (1935)
38	<i>Viola cinerea</i> (Violaceae)	Grey Violet / Banafsha	Flavonoids, alkaloids, violacin	Cough, sore throat, fever, skin disorders, antitussive, anti- inflammatory, antioxidant	Khare (2007); Kumar <i>et al</i> . (2009)
39	<i>Withania somnifera</i> (Solanaceae)	Ashwagandha / Asgandh	Withanolides, sitoindosides, alkaloids	Weakness, stress, arthritis, insomnia, adaptogenic, anti- inflammatory, neuroprotective	Mirjalili <i>et al</i> . (2009); Khare (2007)

6. Cultivation and Commercialization Prospects

Incorporating medicinal crops into Punjab's agricultural matrix offers a timely buffer against ecological degradation linked to intensive monoculture. Species such as *Aloe vera*, *Withania somnifera*, *Mentha arvensis*, and *Ocimum tenuiflorum* adapt readily to regional soils, providing profitable yields when supported by structured extension services and transparent procurement channels (Singh, 2023; Singh & Baldi, 2023).

7. Conservation Challenges and Future Directions

Wild populations of medicinal flora face mounting threats from habitat fragmentation, over-harvesting, and land conversion. Mitigating these pressures necessitates a two-pronged approach: establishing in-situ protected micro-reserves in the Shivalik belt while scaling up ex-situ cultivation among farming communities. Concurrently, bridging indigenous ethnobotany with rigorous clinical validation will ensure that Punjab's botanical heritage endures for future generations (WHO, 2003; Atanasov *et al.*, 2021).

References

1. Ahmad, R., Khan, M. A., & Ali, A. (2016). General overview of medicinal plants: A critical review. *Journal of Medicinal Plants Research*, 10(15), 189–197.
2. Anwar, F., Latif, S., Ashraf, M., & Gilani, A. H. (2007). *Moringa oleifera*: A food plant with multiple medicinal uses. *Phytotherapy Research*, 21(1), 17–25.
3. Atanasov, A. G., Zotchev, S. B., Dirsch, V. M., & Supuran, C. T. (2021). Natural products in drug discovery: Advances and opportunities. *Nature Reviews Drug Discovery*, 20(3), 200–216.
4. Bag, A., Bhattacharyya, S. K., & Chattopadhyay, R. R. (2013). The development of *Terminalia chebula* Retz. (Combretaceae) in clinical research. *Asian Pacific Journal of Tropical Biomedicine*, 3(3), 244–252.
5. Benzie, I. F. F., & Wachtel-Galor, S. (Eds.). (2011). *Herbal Medicine: Biomolecular and Clinical Aspects* (2nd ed.). CRC Press.
6. Biswas, K., Chattopadhyay, I., Banerjee, R. K., & Bandyopadhyay, U. (2002). Biological activities and medicinal properties of neem (*Azadirachta indica*). *Current Science*, 82(11), 1336–1345.
7. Bown, D. (1995). *Encyclopedia of Herbs and Their Uses*. Dorling Kindersley.
8. Brindha, P., Sasikala, B., & Purushothaman, K. K. (1981). Phytochemical studies on *Seseli indicum*. *Bulletin of Medico-Ethno Botanical Research*, 2(1), 60–65.
9. Chandrashekhar, K., Kapoor, J., & Anishetty, S. (2012). *Tribulus terrestris* as a health supplement and therapeutic agent. *Journal of Dietary Supplements*, 9(3), 213–223.
10. Chopra, R. N., Nayar, S. L., & Chopra, I. C. (1956). *Glossary of Indian Medicinal Plants*. CSIR.
11. Council of Scientific and Industrial Research (CSIR). (1948–1976). *The Wealth of India: A Dictionary of Indian Raw Materials and Industrial Products*. CSIR.
12. Duke, J. A. (2002). *Handbook of Medicinal Herbs* (2nd ed.). CRC Press.
13. Fabricant, D. S., & Farnsworth, N. R. (2001). The value of plants used in traditional medicine for drug discovery. *Environmental Health Perspectives*, 109(Suppl 1), 69–75.
14. Fahey, J. W. (2005). *Moringa oleifera*: A review of the medical evidence for its nutritional, therapeutic and prophylactic properties. *Trees for Life Journal*, 1, 1–15.
15. Gajarmal, A., Sharma, R., Singh, P., & Kaur, S. (2020). Medicinal plants and their ethnopharmacological importance: A review. *International Journal of Current Microbiology and Applied Sciences*, 9(6), 2500–2515.
16. Handa, S. S., Khanuja, S. P. S., Longo, G., & Rakesh, D. D. (2008). *Compendium of Medicinal and Aromatic Plants* (Vol. 1). ICS-UNIDO.
17. Heinrich, M., Appendino, G., Efferth, T., Fürst, R., Izzo, A. A., Kayser, O., Pezzuto, J. M., & Viljoen, A. (2020). Best practice in research on natural products for drug discovery: An ethnopharmacological perspective. *Journal of Ethnopharmacology*, 244, 112222.
18. Hooker, J. D. (1872–1897). *The Flora of British India* (Vols. 1–7). L. Reeve & Co.
19. Jain, S. K. (1991). *Dictionary of Indian Folk Medicine and Ethnobotany*. Deep Publications.
20. Kapoor, L. D. (2001). *CRC Handbook of Ayurvedic Medicinal Plants*. CRC Press.
21. Kaushik, P., & Kaushik, D. (2013). Phytochemical and pharmacological profile of *Tribulus alatus*. *International Journal of Pharmaceutical Sciences and Research*, 4(9), 3350–3360.
22. Kaur, H., Sharma, M., & Singh, R. (2020). Ethnomedicinal uses of medicinal plants in Punjab: A review. *Indian Journal of Traditional Knowledge*, 19(3), 512–521.
23. Khare, C. P. (2007). *Indian Medicinal Plants: An Illustrated Dictionary*. Springer.
24. Kirtikar, K. R., & Basu, B. D. (1935). *Indian Medicinal Plants* (2nd ed., Vols. 1–4). Lalit Mohan Basu.
25. Kumar, S., Gupta, R., & Singh, R. (2009). Studies on *Viola cinerea* in the arid zones of India. *Journal of Arid Environments*, 73(4–5), 455–460.
26. Kumar, R., Sharma, P., & Singh, M. (2026). Diversity, distribution and utilization of medicinal plants in Punjab: A comprehensive review. *International Journal of Research and Scientific Innovation*, 13(5), 766–775.
27. Magna Scientia Advanced Research and Reviews. (2022). Utilization of *Oxalis corniculata* as a traditional medicine and its bioactivity. *Magna Scientia Advanced Research and Reviews*, 4(1), 10–18.

28. Mirjalili, M. H., Moyano, E., Bonfill, M., Cusidó, R. M., & Palazón, J. (2009). Steroidal lactones from *Withania somnifera*, an ancient plant for novel medicine. *Molecules*, 14(7), 2373–2393.
29. Naphade, J., & Jadhav, V. (2025). Ethnomedicinal studies of plants used by indigenous communities. *International Journal of Pharmaceutical Sciences*, 3(6), 2538–2549.
30. Prakash, P., & Gupta, N. (2005). Therapeutic uses of *Ocimum sanctum* Linn. (Tulsi) with a note on eugenol and its pharmacological actions. *Indian Journal of Physiology and Pharmacology*, 49(2), 125–131.
31. Patel, D. K., Patel, K., Kumar, R., & Gadewar, m. (2020). Ethnomedicinal plants and traditional knowledge: Current status and future prospects. *Journal of Ethnopharmacology*, 249, 112376.
32. Rivlin, R. S. (2001). Historical perspective on the use of garlic. *The Journal of Nutrition*, 131(3 Suppl), 951S–954S.
33. Scartezzini, P., & Speroni, E. (2000). Review on some plants of Indian traditional medicine with antioxidant activity. *Journal of Ethnopharmacology*, 71(1–2), 23–43.
34. Sidhu, M. C., & Sharma, T. (2013). Medicinal plants of Punjab: A review of their traditional uses and therapeutic potential. *Journal of Medicinal Plants Research*, 7(14), 850–861.
35. Singh, G. (2023). Cultivation and commercialization of medicinal plants in Punjab. Punjab Agricultural University.
36. Singh, G., & Baldi, A. (2023). Commercial cultivation and marketing prospects of medicinal plants in Punjab. *Indian Horticulture*, 68(2), 32–37.
37. Singh, H., Kaur, R., & Sharma, P. (2018). Ethnomedicinal diversity and traditional uses of medicinal plants in Punjab. *Indian Journal of Traditional Knowledge*, 17(4), 685–694.
38. Thakur, M., Sharma, N., & Singh, R. (2025). Traditional medicinal knowledge and conservation of ethnomedicinal plants in India: A review. *Journal of Ethnobiology and Ethnomedicine*, 21(1), Article 45.
39. Upadhyay, A. K., Kumar, K., Kumar, A., & Mishra, H. S. (2010). *Tinospora cordifolia* (Willd.) Hook.f. and Thomson: A review of its ethnobotany, phytochemistry and pharmacology. *International Journal of Pharmaceutical Sciences and Research*, 1(4), 32–47.
40. World Health Organization (WHO). (2003). WHO Guidelines on Good Agricultural and Collection Practices (GACP) for Medicinal Plants. WHO.
41. World Health Organization (WHO). (2013). WHO Traditional Medicine Strategy 2014–2023. WHO.