

CDKAL1 and type 2 diabetes: a global meta-analysis

M.A.S. Dehwah, M. Wang and Q.-Y. Huang

Hubei Key Lab of Genetic Regulation and Integrative Biology, College of Life Sciences, Huazhong Normal University, Wuhan, Hubei, China

Corresponding author: Q.-Y. Huang E-mail: huangqy@mail.ccnu.edu.cn

Genet. Mol. Res. 9 (2): 1109-1120 (2010) Received February 22, 2010 Accepted March 20, 2010 Published June 15, 2010 DOI 10.4238/vol9-2gmr802

ABSTRACT. *CDKAL1* (cyckin-dependent kinase 5 regulatory subunit-associated protein 1-like 1) has been shown to be associated with type 2 diabetes in various ethnic groups; however, contradictory results have been reported. We performed a comprehensive meta-analysis of 21 studies for rs7756992, 17 studies for rs7754840 and 10 studies for rs10946398 variants of the *CDKAL1* gene to evaluate the effect of *CDKAL1* on genetic susceptibility for type 2 diabetes. We found a significant association of rs7756992, rs7754840 and rs10946398 in *CDKAL1* with type 2 diabetes (odds ratio (OR) = 1.15, 95% confidence interval (CI) = 1.07-1.23, P < 0.0001; OR = 1.14, 95%CI = 1.06-1.24, P = 0.001, and OR = 1.12, 95%CI = 1.07-1.18, P < 0.0001, respectively). We conclude that there are significant associations between *CDKAL1* polymorphisms and type 2 diabetes, but these associations vary in different ethnic populations.

Key words: *CDKAL1*; Meta-analysis; Single nucleotide polymorphism; Type 2 diabetes